Tuesday, 19/02/2008 11:23:37 AM

Linda Lacelle



Dart Aerospace Ltd.

**Process Sheet** 

Customer

Date: User:

: CU-DAR001 Dart Helicopters Services

Job Number **Estimate Number** 

S.O. No. :

: 37486 : 13188

P.O. Number

: 19/02/2008 This Issue

Prsht Rev. : NC

First Issue : //

: 37473 **Previous Run** 

Written By

Checked & Approved By

Comment

: Est Rev

: SMALL /MED FAB Type

08-01-30 new issue DD verifyed by:

**Drawing Name** 

: D37511 Part Number : D3751 U/R **Drawing Number** 

: SHIM

: N/A Project Number : U/R **Drawing Revision** 

Material

**Due Date** : 19/02/2008

Each Qty: 12 Um:

**Additional Product** 

Job Number:



Seq. #:

**Machine Or Operation:** 

Description:

1.0 M6061T6S063

Comment: Qty.:

6061-T6 .063 Sheet

0.3730 sf(s)

Total:

6061t6 sheet .063" thick

0.0311 sf(s)/Unit

(M6061t6s063) Batch: (6\$2)5

2.0



Comment: FLOW WATER JET

1-Cut as per Dwg D3751

Dwg Rev: UR Prog Rev: UR

1B 8-279



3.0

QC2

B 8-2-19

Comment: INSPECT PARTS AS THEY COME OFF MACHINE

4.0

QC8

Comment: SECOND CHECK

5.0

SECOND CHECK

INSPECT PARTS AS THEY COME OFF MACHINE



SMALL FAB 1

SMALL & MEDIUM FAB RESOURCE 1



Comment: SMALL & MEDIUM FAB RESOURCE 1





1- Deburr if necessary

Date: , Tue: User: , Lind	sday, 19/02/2008 11:23:38 AM la Lacelle	Process Sheet	
Customer:	CU-DAR001 Dart Helicopters Services	Drawing Name: SHIM	
Job Number:	37486	Part Number: D37511	
Job Number:			
Seq. #:	Machine Or Operation:	Description :	
6.0	QC5	INSPECT WORK TO CURRENT STEP	
	ent: INSPECT WORK TO CURRENT STEP POWDER COATING	POWDER COATING	Selac 19 (+16)
7.0		conversion cost	- FL 08/02/19
Comme	ent: POWDER COATING Powder Coat White Gloss (Ref. 4.3.5.1) as	1.0	1 08/02/19/
8.0	QC3	INSPECT POWDER COAT/CHEMICAL	Seversion
	ent: INSPECT POWDER COAT/CHEMICAL CO		08.02.19
9.0	PACKAGING 1	AACKAGING RESOURCE #1	V
Comme	ent: PACKAGING RESOURCE #1	2000	20 odrace Just
	Identify and Stock Location:	-880	perecully
10.0	QC21	FINAL INSPECTION/W/O RELEASE	
Comme	ent: FINAL INSPECTION/W/O RELEASE		
Job Completion			U 08-02-19
		PORITIVE EF	RECALL  SIDUAL AUTH  DATE  DATE


## **Dart Aerospace Ltd**

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
080219	9	fool 2 for HAI DOZO	a	8.29	2	4	

Part No:	PAR #:	Fault Category:	NCR: Yes	No DQA:	Date: _	
			QA: I	N/C Closed:	Date:	

NCR:	NCR: WORK ORDER NON-CONFORMANCE (NCR)							
DATE STEP		Description of NC Corrective Action Section B			Verification	Approval	Annewal	
	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	Approval QC Inspector
***								
							<u></u>	!

NOTE: Date & initial all entries



D3751-3 SHIM

D3751-1 SHIM

VE 08.02-15

**NEW ISSUE** 08.02.11 REV. DESCRIPTION BY DATE **DESIGN** AJS DART AEROSPACE LTD **DRAWN** HAWKESBURY, ONTARIO, CANADA DRAWING NO. CHECKED REV. A D3751 MFG. APPR. SHEET 1 OF 2 TITLE APPROVED SCALE SHIM DE APPR. COPYRIGHT © 2008 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT DATE 08.02.11

NOTES: 1) MATERIAL: 6061-T6 (OR 6061-T62) ALUMINUM SHEET, 0.060 THICK PER AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027 (REF DART SPEC M6061T6S.060)

2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT GLOSS WHITE (4.3.5.1) PER DART QSI 005 4.3
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX

6) IDENTIFICATION: IDENTIFY D3751-1 WITH DART P/N D3751-1 USING FINE POINT PERMANENT INK MARKER IDENTIFY D3751-3 WITH DART P/N D3751-3 USING FINE POINT PERMANENT INK MARKER

(DO NOT IDENTIFY D3751-3) 7) WEIGHT: 0.02 lbs FOR D3751-1 0.03 lbs FOR D3751-3

8

3

DART AEROSPACE LTD	Work Order:	37486	
Description: ">H (M	Part Number:	D3751-1	
Inspection Dwg: D3751-1 Rev: U/R	·	Page 1 of 1	

## FIRST ARTICLE INSPECTION CHECKLIST

X First Article Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø , 193	1.005-001	,194	¥	·	·	
3,00	14/	2.998	×			
1.40	7030	1,40	¥		4	
. 68	036	-689	<b>&gt;</b>			
.50	7- 030	150	×			,
1.00	4030	1.00	8			
300	4/036	0a.6	مد	·		
	. if .					
	1					
				, i		
		}				
	·					
	<del></del>					
			·	-		
						·
						**************************************
			1		1	<u> </u>
easured by:	Auc	lited by:	/	Prot	otype Appro	val:

				•	
Measured by:	B	Audited by:	//	Prototype Approval:	
Date:	8-2-19	Date:	04-02-19	Date:	

Rev	Date	Change		Revised by	Approved
A	· · · · · · · · · · · · · · · · · · ·	New Issue	·	-KJ/JLM	